Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	174	713/194.ccls.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/10/14 13:05
<b>S3</b>	128	713/194.ccls. and @ad<="19991217"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/10/19 13:11
S5	20	(713/194.ccls. and capacitor) and @ad<="19991217"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/10/12 14:57
S30	168	comparator with reference adj voltage with capacitor with node	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/05/03 15:58
S31	109	S30 and @ad<="19991217"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/05/03 16:20
S32	8190	capacitor with compar\$3 with voltage	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/05/03 16:19
S33	1854	capacitor with compar\$3 adj voltage	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/05/03 16:20
S36	3	capacitor adj node with compar\$3 adj voltage	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/05/03 16:24
S37	2	S36 and @ad<="19991217"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/05/03 16:24
S38	184	capacitors with compar\$3 adj voltage	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/05/03 16:24
S39	91	S38 and @ad<="19991217"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/05/03 16:25
S40	18	713/194.ccls. and capacitor same voltage	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/05/03 16:30
S41	16	S40 and @ad<="19991217"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/05/13 16:45
S43	2	capacitor same voltage same tamper same node	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/05/05 13:21
S44	2	"4353056".pn. and capacitor	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/05/13 16:45

			·			
S45	2	capacitor same voltage same tamper same node	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/05/13 17:22
S46	18	713/194.ccls. and capacitor same voltage	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/05/13 17:22
S47	16	S46 and @ad<="19991217"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/05/13 17:22
S48	2	capacitor same voltage same tamper same node	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/10/12 14:52
S49	171203	compar\$4 same capacit\$4	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/10/12 14:52
S50	15276	compar\$4 same capacit\$4 same reference adj voltage	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/10/12 14:57
S51	952	S50 and dielectric	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/10/12 14:57
S52	19	S50 and dielectric and tamper	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/10/12 14:57
S53	3	S52 and @ad<="19991217"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/10/12 15:15
S54	94229	capacit\$4 same dielectric	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/10/12 15:03
S55	19437	S54 same (remov\$2 or chang\$3)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/10/12 15:04
S56	1664	S55 and voltage same reference same capacitor\$1	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/10/12 15:04
S58	5	713/194.ccls. and dielectric same capacit\$4	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/10/12 15:14
S59	3	S58 and @ad<="19991217"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/10/12 15:17
S60	303	capacitance same chang\$3 same dielectric same remov\$2	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/10/12 15:17
S61	86	capacitance same chang\$3 same dielectric same remov\$2 same voltage	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/10/12 15:17

S62	62	S61 and @ad<="19991217"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/10/12 15:18
S63	636	remov\$3 same capacit\$5 same chang\$3 same dielectric	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/10/19 13:11
S64	102	remov\$3 same capacit\$5 same chang\$3 same dielectric same detect\$3	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/10/19 13:11
S65	58	S64 and @ad<="19991217"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/10/19 13:11